
## <u>Steering Application Form – Page 1</u>


Customer	Contact
Vehicle Model	
Type of Application	
Customer Part Number	
Current Dana Part Number	
STEERING SHAFT DIMENSIONS (See Drawing 1)	
Dimension A - * Required for Application	
*(End to End) Extended Length =	
*(End to End) Maximum Operating =	
*(End to End ) Collapsed =	
Phasing (Y) in degrees (if known) (Se	
	Drawing 1
A COPE  A CEX  Slip End  End Yoke Part Number (G)	SLIP END G (END YOKE)  YOKE SHAFT H  LAPSED)  TENDED)
End Yoke Length (H)	
If part numbers are not known, attach spline data for th	e mating output shaft. (See drawing 2 for key dimensions)
Tight End End Yoke Part Number (E) End Yoke Length (F) If part numbers are not known, attach spline data for the	
Cionad	Tido
	Title
Phone Number Date	

 $\underline{Steering\ Application\ Form-Page\ 2}$ 

## **OUTPUT SHAFT CRITERIA**



\*\*If a splined output shaft is not being used for either the slip or the tight end, attach a sketch of the shaft that is currently being used instead of filling out the dimensions above.



Phasing from View Z in Drawing 1

Drawing 4 – Phasing (Refer to Drawing 1)

-If possible, attach drawing of the front and side view of the steering shaft application if a current Dana part number was not given. Also, have location dimensions in both views of the drawing.